Dane aktualne na dzień: 06-11-2026 11:59

Link do produktu: https://cardsplitter.pl/antena-adapter-wifi-usb-do-dekodera-tunera-ltc-itp-zgemma-enigma2-vu-mt7601-p-15785.html



ANTENA ADAPTER WiFi USB DO DEKODERA TUNERA LTC ITP ZGEMMA ENIGMA2 VU MT7601

Cena	**19,98 zł**
Numer katalogowy	**2410200000811**
Kod producenta	**2410200000811**
Kod EAN	**6974674272329**
Producent	**1JustLink**
Kod producenta	**2410200000811**
Standard pracy bezprzewodowej	**802.11ax (Wi-Fi 6)**
Pasmo	**2,4 GHz**
Antena	**zewnętrzna odkręcana**
Waga produktu z opakowaniem jednostkowym	**0.03**
EAN (GTIN)	**6974674272329**
Interfejs	**USB**
Rodzaj karty	**zewnętrzna**
Maksymalna prędkość transmisji	**150**

Opis produktu

Adapter / karta Wi-Fi USB z chipsetem **MT7601**. Karta współpracuje z komputerami, oraz z 99% smartboxami na naszym rynku. W porównaniu do adapterów bez antenki zasięg większy o około 20 - 30%

W systemach Enigma2 czy Spark nie trzeba dogrywać sterowników, wystarczy skonfigurować dostęp do sieci Wi-Fi.

Działa w tunerach :

- nbox - ENIGMA
- Vu+
- Dreambox
- AB Cryptobox
- Dreamsky
- HD Box
- Openbox
- Octagon
- Opticum





Parametry techniczne :


- 802.11b: 1, 2, 5.5, 11Mbps;
- 802.11g: 6, 9, 12, 18, 24, 36, 48, 54Mbps
- 802.11n: (20MHz) MCS0-7, Support up to 72 Mbps
- (40MHz) MCS07, Support up to 150Mbps
- OFDM, Peak rate 150Mbps, Peak throughput 90 Mbps.
- Security support for 64/128 WEP, WPA, WPA2, TKIP, AES
- Operates in 2.4Ghz frequency bands. Power Management
- Chipset: MT7601
- Standards: IEEE802.11b/g & 802.11n
- (1T1R mode, 150Mbps)
- Antenna: 2DBI
- Operation Frequency: 2412 - 2483.5 MHz
- Software Support:
- Windows CE/2000/XP/VISTA/7/8/10

- Linux 2.6.X
- Mac 0S X



Freely rotating antenna

The front of the antenna can be rotated 360°,
and the side can be rotated by 90° to
adjust the signal strength at any time.








Esc
F1
F2
~
`
!
1
@
2
Tab
Q
Caps
Lock
A
Shift


Esc
F1
F2
F3
Tab
Caps Lock
Shift



Enjoy high-speed wifi

IEEE802.11n standard-the newest generation of Wi-Fi.

2.4G	150M
Frequency	High-speed



Freely rotating antenna

The front of the antenna can be rotated 360°,
and the side can be rotated by 90° to
adjust the signal strength at any time.

